



EDItX XML transaction message formats

INVENTORY REPORT FORMAT **Version 1.0, 17 July 2009**

The EDItX Inventory Report format is intended to be used by a retailer, distributor or other intermediary (hereafter simply "seller") managing inventory (on consignment or otherwise) on behalf of the publisher or content owner (hereafter simply "publisher"), or by an agent reporting on their behalf, to report inventory levels to the publisher. The format has been derived from the existing EDItX Sales Report format. It is intended that the format be implemented in digital (on a physical carrier such as a CD, or 'online' if the seller has been allocated a finite number of licenses to sell), non-digital or mixed book product supply chains, depending upon local market requirements.

The format allows these reporting options:

1. Current inventory levels (quantities in hand), categorised as being reserved (i.e. allocated to fulfil outstanding orders) or unreserved, may be reported.
2. Minimum and maximum inventory levels during the reporting period may be reported.
3. Quantities on order may be reported, and on-order quantities may be categorised as being reserved or unreserved.
4. Quantities required to meet outstanding orders, but for which current or on-order quantities have not yet allocated, may be reported.
5. Quantities despatched during the reporting period may be reported.
6. Quantities that have been lost or stolen during the reporting period may be reported.
7. Quantities that have been damaged or destroyed during the reporting period may be reported.
8. Quantities that have been moved to another storage / outlet location.
9. Quantities that have been removed from inventory for other reasons may be reported (in which case the reasons must be given in notes).

The XML schema for Version 1.0 of the EDItX Inventory Report format will be found at www.editeur.org.

INVENTORY REPORT

Document name and version

| | | | | |
|--|------------------------------|--|---------------------------------|--|
| | Inventory Report Version 1.0 | | <InventoryReport version="1.0"> | |
|--|------------------------------|--|---------------------------------|--|

Header

| | Element | M ¹ | InventoryReport.Header. | |
|---|--|------------------|--|---|
| 1 | Inventory report number | M | InventoryReportNumber | |
| 2 | The date or date and time at which the report was generated. | M | IssueDateTime | |
| 3 | Document references (repeatable) Reference type Contract reference Standing order reference Reference Reference date YYYYMMDD | D M D D | ReferenceCoded ReferenceTypeCode <i>ContractReference</i> <i>StandingOrderReference</i> ReferenceNumber ReferenceDate | R |
| 4 | Message function Values: <i>original, duplicate, test</i> | M | PurposeCode | |
| 5 | Inventory period dates. Unless all individual product lines are dated, the header must contain <i>either</i> both report period start and end dates <i>or</i> a single report date. Date YYYYMMDD or date-time YYYYMMDDTHHMMSS Date qualifier code Start date of reporting period End date of reporting period Date for which inventory is reported | D M M | DateCoded Date DateQualifierCode <i>InventoryPeriodStart</i> <i>InventoryPeriodEnd</i> <i>InventoryDate</i> | R |

¹ In the column headed "M", "M" means mandatory, and "D" means dependent.

Line item detail

| | Element | M | InventoryReport.ItemDetail. | R |
|---|--|-----------------------|--|---|
| 1 | Line item number: a sequence number starting at 1 in each message. | M | LineNumber | |
| 2 | Product code (repeatable, if there is more than one identifier for the same item) Product ID type – values <i>EAN13</i> (use for a 13-digit ISBN), <i>GTIN14</i> , <i>ISBN</i> (use only for a 10-character ISBN), <i>ISMN</i> , <i>SKU</i> , <i>UPC</i> , <i>Seller</i> (use for a supplier-defined product ID), <i>Buyer</i> (use for a customer-defined product ID), <i>Proprietary</i> (use for a third-party proprietary scheme, which must be named in the element IDTypeName). Name of proprietary product ID scheme. Mandatory if the scheme is 'Proprietary'. Product number | M M D M | ProductID ProductIDType IDTypeName Identifier | R |
| 3 | Product description (author, title) | D | ItemDescription.TitleDetail | |
| 4 | Format. Code values are based on old ONIX epublication type codes, extended to provide a value for Print On Demand – see Table 1. Mandatory only if a single product code applies to multiple digital formats (NOTE – This is a deprecated usage, but retained for backwards compatibility). | D | FormatCode | |
| 5 | Inventory quantity. At least one quantity must be reported, and several quantities may be reported, by trading partner agreement. Quantity type – see Table 2 Unit quantity New inventory location party. Must be included if the quantity type is ' <i>Transferred</i> ' and if no new inventory location party is specified in the Header. Same structure as in Header. Explanatory note. Must be included if the quantity type is ' <i>RemovedFromInventory</i> '. | M M M D D | InventoryQuantity QuantityType QuantityValue NewLocationParty QuantityNote | R |
| 6 | Line item reference number (repeatable). Each reference must include a number, a date or both. Reference type Unique reference number assigned by the sender Contract reference Standing order reference Reference number Reference date YYYYMMDD | D M D D | ReferenceCoded ReferenceType <i>ReportItemReferenceNumber</i> <i>ContractReference</i> <i>StandingOrderReference</i> ReferenceNumber ReferenceDate | R |
| 7 | Inventory period dates: Required only if no report period is specified in the header, in which case each line item must contain <i>either</i> both report period start and end dates <i>or</i> a single report date. Date YYYYMMDD or date-time YYYYMMDDTHHMMSS Date qualifier code Start date of reporting period End date of reporting period Date for which inventory is reported | D M M | DateCoded Date DateQualifierCode <i>InventoryPeriodStart</i> <i>InventoryPeriodEnd</i> <i>InventoryDate</i> | R |

Trailer

| | Element | M | InventoryReport.Summary. | |
|---|--|-------------|--|---|
| 1 | Number of line items | M | NumberOfLines | |
| 2 | Sum of reported quantities – all lines. All quantity types reported at the line item level must be included in the summary. Quantity type – see Table 2 Quantity | D M M | NumberOfUnits QuantityType QuantityValue | R |

Table 1 – List of format code values

Based upon legacy ONIX for Books Epublication Type code list 10.

| ONIX List 10 Code Value | EDItX Format Code | Comments |
|-------------------------|-------------------------|--|
| | PrintOnDemand | Added for this format |
| 001 | HTML | |
| 025 | TXT | ONIX code list 10 Issue 1 |
| 002 | PDF | |
| 003 | PDFMerchant | |
| 004 | AdobeEbookReader | |
| 005 | MicrosoftReaderLevel1-3 | |
| 006 | MicrosoftReaderLevel5 | |
| 007 | NetLibrary | |
| 008 | MetaText | |
| 009 | MightyWords | |
| 010 | PalmReader | |
| 011 | Softbook | |
| 012 | RocketBook | |
| 013 | GemstarREB1100 | |
| 014 | GemstarREB1200 | |
| 015 | FranklinBookman | |
| 016 | Books24x7 | |
| 017 | DigitalOwl | |
| 018 | Handheldmed | |
| 019 | WizeUp | |
| 020 | TK3 | |
| 021 | Llraweb | |
| 022 | MobiPocket | |
| 023 | OpenEbook | |
| 024 | GoReader | |
| 024 | TownCompassDataViewer | |
| 026 | Exebook | ONIX code list 10 Issue 1 |
| 027 | SonyBBEB | ONIX code list 10 Issue 6 |
| 028 | VitaSourceBookshelf | ONIX code list 10 Issue 8 |
| 029 | AdobeDigitalEditions | ONIX code list 10 Issue 8 |
| 030 | MyLibrary | ONIX code list 10 Issue 8 |
| 031 | Kindle | ONIX code list 10 Issue 8 |
| | Ebrary | Not in ONIX code list 10 – added to this format |
| 098 | MultipleFormats | ONIX code list 10 Issue 8 |
| 099 | Other | ONIX code list 10 Issue 7 – Unspecified – other format |

Table 2 – List of quantity types

| Code value | Description |
|-------------------------------|--|
| <i>InHand</i> | Quantity in hand (unreserved or reserved) at end of reporting period |
| <i>InHandMax</i> | Maximum quantity in hand (unreserved or reserved) during the reporting period |
| <i>InHandMin</i> | Minimum quantity in hand (unreserved or reserved) during the reporting period |
| <i>InHandUnreserved</i> | Unreserved quantity in hand at end of reporting period |
| <i>InHandReserved</i> | Reserved (i.e. allocated to outstanding orders) quantity at end of reporting period |
| <i>InHandUnreservedMax</i> | Maximum unreserved quantity in hand during the reporting period |
| <i>InHandReservedMax</i> | Maximum reserved quantity in hand during the reporting period |
| <i>InHandUnreservedMin</i> | Minimum unreserved quantity in hand during the reporting period |
| <i>InHandReservedMin</i> | Minimum reserved quantity in hand during the reporting period |
| <i>OnOrder</i> | Quantity on order (unreserved or reserved) at end of reporting period |
| <i>OnOrderMax</i> | Maximum quantity on order (unreserved or reserved) during the reporting period |
| <i>OnOrderMin</i> | Minimum quantity on order (unreserved or reserved) during the reporting period |
| <i>OnOrderUnreserved</i> | Unreserved quantity on order at end of reporting period |
| <i>OnOrderReserved</i> | Reserved quantity on order at end of reporting period |
| <i>OnOrderUnreservedMax</i> | Maximum unreserved quantity on order during the reporting period |
| <i>OnOrderReservedMax</i> | Maximum reserved quantity on order during the reporting period |
| <i>OnOrderUnreservedMin</i> | Minimum unreserved quantity on order during the reporting period |
| <i>OnOrderReservedMin</i> | Minimum reserved quantity on order during the reporting period |
| <i>OutstandingRequirement</i> | Quantity required to meet outstanding orders at end of reporting period and not yet allocated from inventory |
| <i>Despatched</i> | Quantity despatched during the reporting period |
| <i>LostOrStolen</i> | Quantity lost or stolen during the reporting period |
| <i>DamagedOrDestroyed</i> | Quantity damaged or destroyed during the reporting period |
| <i>Transferred</i> | Transferred to another location. The new location would usually be specified in an accompanying note. |
| <i>Returned</i> | Quantity returned under a returns agreement, action unspecified |
| <i>ReturnedForDestruction</i> | Quantity returned under a returns agreement, for destruction |
| <i>ReturnedForResale</i> | Quantity returned under a returns agreement, for re-sale |
| <i>RemovedFromInventory</i> | Quantity removed from inventory for other reasons during the reporting period |