



ONIX for Repertoire: message format overview

Version 1.0, February 2008

CONTENTS LIST	Page
1. Introduction.....	2
2. Repertoire Notification.....	2
2.1 <i>Definitions</i>	2
2.2 <i>Repertoire Detail</i>	3
2.3 <i>Resources Excluded</i>	4
2.4 <i>Controlled values and the ONIX IFFRO Dictionary</i>	4
2.5 <i>Resource description in ONIX-RP</i>	4
2.6 <i>Repertoire Notification types</i>	4
2.7 <i>Areas for possible further development</i>	4
3. Resource Lists.....	5
4. ONIX-RP Header.....	6
5. ONIX-RP Repertoire Notification.....	7
5.1 <i>RepertoireDetail</i>	10
5.2 <i>DetailByResource</i>	12
5.3 <i>DetailByResourceClass</i>	15
5.4 <i>PriceDefinition</i>	17
6. ONIX-RP Resource List.....	18

Earlier versions of this overview were used as the basis for the application guidelines produced by each of the ONIX IFFRO pilots in 2007. Immediately before Version 1.0 was released, a number of final modifications and corrections were made to the format specification, and these may not all be reflected in the pilot documentstion. Please note that, where there is any discrepancy between the pilot guidelines and this overview, the overview should be taken as authoritative.

1. Introduction

This document is an overview of the ONIX for Repertoire (ONIX-RP) format. It should be read in conjunction with the companion document *ONIX for Repertoire: message structure*, which provides further technical details of the XML structure. The table below gives a top-level view of the revised format:

1	<ONIXRepertoireMessage version="1.0">		
2	<Header>	A header identifying the sender and receiver, and giving other control information	1
3	<RepertoireNotification>	A composite that notifies new or changed repertoire	0-n
4	<ResourceList>		0-n

An ONIX-RP message consists of (i) a message header (<Header>) which identifies sender and receiver and carries a limited amount of other data pertinent to the message as a whole; (ii) an unlimited number of <RepertoireNotification> composites, which may be of the same or different types, and may relate to the same or different repertoires; and (iii) an unlimited number of <ResourceList> composites (see section 4 below).

For the purposes of the ONIX IFRRO messages, a “repertoire” is defined as *a set of resources in which the control of certain rights is held by a particular party, and which is identified typically for the purpose of delegating those rights from one party to another.*

[For repertoire management from UK publishers to PLS to CLA and onward to CCC (and possibly other agencies), it makes sense to treat the set of resources covered by a publisher’s mandate (or more accurately, a Publishing Rights Controller’s¹ mandate) as a distinct repertoire with a unique identifier. This is not, however, in any way assumed in the message format. A repertoire may be any set of resources that it is convenient and practical to manage as such, and to which a unique identifier can be assigned by the agency responsible.]

2. Repertoire Notification

The <RepertoireNotification> composite, shown in more detail on the next page, is organized into three main parts:

- (a) A non-repeating <Definitions> composite which, in the present ONIX-RP version, is used only to carry price definitions if required, although it may be required for other things in future extensions of the format;
- (b) A repeatable <RepertoireDetail> composite carrying statements about rights and resources that are part of the repertoire; and
- (c) A repeatable <ResourcesExcluded> composite carrying details of resources that are *completely* excluded from the repertoire (as distinct from being excluded from, say, a particular license in which other resources are included).

2.1 Definitions

The <Definitions> composite carries any entity definitions that are required to support the rest of the content of a <RepertoireNotification> composite. In the present version of the ONIX-RP message, the only circumstance in which entity definitions will be invoked is when repertoire detail involves the specification of prices relating to a particular license or to a particular form of usage. In this case, each price will be defined in a <PriceDefinition> and assigned a label by which it can be referenced elsewhere in a <SubjectToPayment> element. If, however, the repertoire is sub-licensed on the basis of default price rates established by inter-agency agreement, no such definitions need to be carried.

¹ In this document we will sometimes refer to a “Publishing Rights Controller”, or “PRC”, when talking about a publisher in its role as a delegator of rights.

1	<RepertoireNotification>	A composite that notifies new or changed repertoire	0-n
2	<RepertoireIdentifier>	A unique identifier of a repertoire	1-n
3	<Definitions>	A composite that defines entities referred to in a Repertoire Notification	0-1
4	<PriceDefinition>	A composite that defines a price referred to in a Repertoire Notification	0-n
5	<UsageDefinition>	A composite that defines a usage referred to in a Repertoire Notification (placeholder for future use)	0-n
6	<RepertoireDetail>	A composite that specifies rights and resources that together form part of a repertoire	1-n
7	<DelegatedRightByLicense>	A composite that specifies licenses under which defined resources may be sub-licensed by the delegate	0-n
8	<DelegatedRightByUsage>	A composite that specifies a usage for which defined resources may be sub-licensed by the delegate	0-n
9	<WholeRepertoireExceptAs Specified/>	An XML "empty element" whose presence indicates that the preceding delegated rights detail applies to the whole of the repertoire except as otherwise specified	0-1
10	<DetailByResource>	A composite that specifies a resource that is part of a repertoire	0-n
11	<DetailByResourceClass>	A composite that specifies a resource class, together with any exclusions from that class	0-n
12	<ExcludingResources>	A composite that specifies resources or resource classes that are excluded from a specified class	0-1
13	<ResourcesExcluded>	A composite that specifies resources to be excluded completely from a repertoire	0-n
14	<DetailByResource>	A composite that specifies a resource to be excluded completely from a repertoire	0-n
15	<DetailByResourceClass>	A composite that specifies a resource class to be excluded completely from a repertoire, together with any exclusions from that class	0-n
16	<ExcludingResources>	A composite that specifies resources or resource classes that are excluded from a specified class	0-1

A <UsageDefinition> is also included, but only as a placeholder, to be specified in detail as and when it becomes clear that there is a need to cover usages that cannot be defined simply by a Dictionary term. In future, particularly if there is a move to specify individual licensable usages instead of relying on standard licenses, it may be necessary to add more entity definitions.

The <Definitions> composite precedes the <RepertoireDetail> elements that use the definitions. This sequence is expected to be helpful when a large Repertoire Notification is processed by a receiving system.

2.2 Repertoire Detail

Within the <RepertoireDetail> composite, delegated rights can be specified by license or by usage (although the latter functionality remains much less developed than the former, since examples of its practical application are not readily available). Resources can be detailed by individual titles, or by resource classes (again, the latter functionality is less well-developed, for similar reasons); or delegated rights can be specified as applying to the whole repertoire. Exceptions to resource classes can be specified either as sub-classes or as lists of individual titles.

In this way, an instance of <RepertoireDetail> can fully specify any set of resources that shares a set of delegated rights, and that is part of a repertoire.

2.3 Resources Excluded

The <ResourcesExcluded> composite has the sole function of specifying resources that are to be excluded completely from a repertoire. Excluded resources can be detailed by individual titles, or by resource classes; and exceptions to resource classes can be specified either as sub-classes or as lists of individual titles. The PLS-to-CLA use cases examined in Pilot 2 have found no application for <ResourcesExcluded>; however, this does not necessarily mean that these elements will not be needed elsewhere.

2.4 Controlled values and the ONIX IFFRO Dictionary

Wherever the overview refers to “ONIX controlled values”, this means that the element in question either must or may carry a value taken from the OLT IFFRO Dictionary, which is being developed to provide a value set appropriate to IFFRO member applications as these are specified in detail. Alternatively the element may in certain circumstances carry a local controlled value: see the companion document *ONIX IFFRO Dictionary Notes*.

2.5 Resource description in ONIX-RP

Resource description is limited to title, authorship, publisher and imprint, each represented by a composite that is structured to a similar level as in existing ONIX product information formats. Note that the detailed nomenclature is not the same as in, say, ONIX for Books, in order to maintain the internal consistency of the ONIX IFFRO formats, but there is a very simple mapping.

2.6 Repertoire Notification types

As a result of the work carried out in Pilot 2, three major types of repertoire notification have so far been specified:

New or Confirmed Mandate: used to notify a new mandate from a rights controller, or confirm in full an existing mandate.

Include In Repertoire: used to add resources to a repertoire, usually as a result of their having been traded from one rights controller to another.

ChangeTerms: used to communicate changes in delegated rights (license inclusions / exclusions) and prices.

From the point of view of the format definition, it is always possible to add other types if found necessary.

2.7 Areas for possible further development

Version 0.9 of the format was substantially based on the original *Strawman* document. As a result of piloting, it has now developed to the point where it is no longer considered useful to maintain a detailed mapping to the elements in the *Strawman*. However, it should be noted that four areas from the original document are still not fully developed:

- (a) *Contact information for parties associated with the repertoire* (see *Strawman* 6.1.3d and 6.1.4d). It is questionable whether a Repertoire Notification is the right place to communicate standing information about the parties involved in delegation of rights, or changes to such information.
- (b) *Constraints on permitted usages* (6.2.2.2). It is difficult to define a suitable structure at this stage, since we have little or no evidence of what the requirements will be if and when ONIX-RP begins to be used for delegation of “rights by usage” rather than “rights by license”.
- (c) *Reporting and “Other conditions”* (6.2.2.3b and 6.2.2.3 c).
- (d) *Identifying rights controllers* (6.4). The requirement for this needs to be more fully defined.

All of these four aspects have been “parked” for the time being.

3. Resource Lists

During the course of Pilot 2 it became apparent that there was a need under various different circumstances for one RRO to send to another a list of resources that it considered to be part of a rights controller’s repertoire, without thereby implying any change either in the definition of the repertoire or in the applicable terms. To accommodate this, the ONIX-RP format has been extended to include, alongside the <Repertoire Notification> entity, a separate and very simple <Resource List> entity, using a limited set of elements taken from the full notification. The two entity types to be sent in a single message, so that, for example, a New Mandate notification may be accompanied by a <ResourceList> that communicates titles that the sender believes to be covered by the mandate, but that do not constitute a definition of the mandate repertoire.

As the summary table below indicates, the format consists simply of a few identification and housekeeping elements, followed by an unlimited number of <DetailByResource> composites, each representing a single resource.

1	<ResourceList>		0-n
2	<RepertoireIdentifier>	A unique identifier of a repertoire	1-n
3	<DetailByResource>	A composite that specifies a resource that is part of a repertoire	0-n

4. ONIX-RP Header

1	<Header>			Message header	1
2	<Sender>			The sender of a message (coded identifier or name or both)	1
3		<SenderRole>		A controlled value specifying the role of an ONIX-RP message sender if not the delegator of rights	0-1
4		<SenderIdentifier>		Composite: a coded identifier of a message sender; repeatable only if a sender has two or more identifiers taken from different schemes	0-n
5			<SenderIDType>	A code indicating a scheme from which a sender identifier is taken	1
6			<IDTypeName>	The name of a proprietary scheme, if applicable	0-1
7			<IDValue>	An identifier value, from a specified scheme	1
8		<SenderName>		The name of a sender organization	0-1
9		<SenderContact>		The name of a contact person in a sender organization	0-1
10		<SenderEmail>		An email address for a sender contact	0-1
11	<Addressee>			An addressee of a message (coded identifier or name or both)	1-n
12		<AddresseeIdentifier>		Composite: a coded identifier of a message addressee; repeatable only if an addressee has two or more identifiers taken from different schemes	0-n
13			<AddresseeIDType>	A code indicating a scheme from which a sender identifier is taken	1
14			<IDTypeName>	The name of a proprietary scheme, if applicable	0-1
15			<IDValue>	An identifier value, from a specified scheme	1
16		<AddresseeName>		The name of an addressee organization	0-1
17		<AddresseeContact>		The name of a contact person in an addressee organization	0-1
18		<AddresseeEmail>		An email address for an addressee contact	0-1
19	<Test/>			An XML "empty element" which, if present, specifies that a message is a test	0-1
20	<MessageNumber>			Message sequence number	0-1
21	<MessageRepeat>			A number which distinguishes any repeat transmissions of a message	0-1
22	<SentDateTime>			The date, and optionally the time, when a message was sent	1
23	<MessageNote>			A free-text note about the contents of the message	0-1
24	<CurrencyCode>			An ISO code for the currency of monetary amounts (if any) specified in the message	0-1

5. ONIX-RP Repertoire Notification

1	<RepertoireNotification>			A composite that notifies new or changed repertoire	1-n
2	<NotificationType>			An ONIX controlled value specifying a type of a Repertoire Notification, eg new mandate, change terms	1
3	<ReasonForNotification>			An ONIX controlled value specifying a reason for sending a Repertoire Notification	0-1
4	<NotificationID>			A sender-assigned identifier that is unique within the sequence of Repertoire Notifications sent by the Sender to the Addressee (replaces composite in Version 0.9)	1
5	<NotificationEffectiveDate>			The date on which the changes notified in the Repertoire Notification become effective, expressed as YYYYMMDD	0-1
6	<RepertoireIdentifier>			A composite that uniquely identifies a repertoire; mandatory, and repeatable only if the repertoire has two or more identifiers taken from different schemes.	1-n
7		<RepertoireIDType>		An ONIX controlled value identifying a scheme from which a repertoire identifier is taken	1
8		<IDTypeName>		A name of a proprietary scheme, if applicable	0-1
9		<IDValue>		An identifier value, from a specified scheme	1
10	<RepertoireDescription>			A title or description given by the sender to the repertoire to which a Repertoire Notification refers	0-1
11	<RepertoireAnnotation>			A composite that carries an annotation relating to the repertoire to which a Repertoire Notification refers	0-n
12		<RepertoireAnnotationType>		An ONIX controlled value specifying a type of a repertoire annotation	0-1
13		<AnnotationText>		The text of the annotation	1
14	<RepertoireRelatedAgent>			A composite that specifies an Agent that is related to a repertoire, and its relationship to the repertoire, typically used to identify a rights controller who holds or manages rights in the repertoire	0-n
15		<RepertoireAgentRelator>		An ONIX controlled value specifying a relationship between a repertoire and a related agent	1
16		<AgentIdentifier>		A composite that carries an identifier of an agent; repeatable only if an agent has two or more identifiers taken from different schemes	0-n
17			<AgentIDType>	An ONIX controlled value identifying a scheme from which an agent identifier is taken	1
18			<IDTypeName>	A name of a proprietary scheme, if applicable	0-1
19			<IDValue>	An identifier value, from a specified scheme	1
20		<Name>		A name of an agent or agent class	0-1

21		<AgentAnnotation>		A composite that carries an annotation relating to an agent, typically used to carry an explanatory note about a rights controller	0-n
22			<AgentAnnotationType>	An ONIX controlled value specifying the type of an agent annotation	0-1
23			<AnnotationText>	The text of the annotation	1
24		<AgentRelatedName>		A composite that specifies a name, typically of an imprint or subsidiary, that is related to an agent. Listing such names here means that they do not limit the scope of the repertoire, but indicates that publications bearing these names are normally controlled by the rights controller identified in <RepertoireRelated Agent>.	0-n
25			<AgentNameRelator>	An ONIX controlled value specifying a relationship between an agent and a related name	1
26			<NameIdentifier>	A composite that carries an identifier of a related name; repeatable only if a name has two or more identifiers taken from different schemes	0-n
27			<NameIDType>	An ONIX controlled value identifying a scheme from which a name identifier is taken	1
28			<IDTypeName>	A name of a proprietary scheme, if applicable	0-1
29			<IDValue>	An identifier value, from a specified scheme	1
30			<Name>	A related name, typically of an imprint or subsidiary	0-1
31			<NameAnnotation>	A composite that carries an annotation relating to a name, typically used to carry an explanatory note about an imprint	0-n
32			<NameAnnotation Type>	An ONIX controlled value specifying the type of a name annotation	0-1
33			<AnnotationText>	The text of the annotation	1
34	<RepertoireRelated Mandate>			A composite that specifies a mandate that is related to a repertoire, and its relationship to the repertoire	0-n
35		<RepertoireMandate Relator>		An ONIX controlled value specifying a relationship between a repertoire and a related mandate	1
36		<MandateIdentifier>		A composite that carries an identifier of a mandate	0-n
37			<MandateIDType>	An ONIX controlled value identifying a scheme from which a mandate identifier is taken; repeatable only if a mandate has two or more identifiers taken from different schemes	1
38			<IDTypeName>	A name of a proprietary scheme, if applicable	0-1
39			<IDValue>	An identifier value, from a specified scheme	1
40		<Name>		A name of a mandate	0-1
41		<MandateRelatedTime Point>		A composite that specifies a date that is related to a mandate, and its relationship to the mandate	0-1
42			<MandateTimePoint Relator>	An ONIX controlled value specifying a relationship between a mandate and a related time point	1

43			<TimePointIdentifier>	A composite that carries an identifier of a time point	1
44			<TimePointIDType>	An ONIX controlled value specifying a form of a time point identifier, eg YYYY	1
45			<IDValue>	A time point identifier in a specified form	1
46	<RepertoireDefinition>			An ONIX controlled value that specifies whether a repertoire is defined by the resources specified in successive <RepertoireDetail> elements, or otherwise (eg as all eligible resources controlled by a mandating rights controller)	0-1
47	<Definitions>			A composite that defines entities referred to in a Repertoire Notification	0-1
48		<PriceDefinition>		A composite that defines a price that is referred to in a Repertoire Notification – see expansion in section 5.4	1-n
49		<UsageDefinition>		A composite that defines a usage referred to in a Repertoire Notification: at present, this is a placeholder only – the expansion will be added when found necessary	0-n
50	<RepertoireDetail>			A composite that specifies rights and resources that together form part of a repertoire: repeat for each part of the notified repertoire that has different delegated rights and/or pricing – see expansion below	1-n
51	<ResourcesExcluded>			A composite that specifies resources and/or resource classes to be excluded completely from a repertoire	0-1
52		<DetailByResource>		A composite that specifies a resource – expansion as in <RepertoireDetail>	0-n
53		<DetailByResourceClass>		A composite that specifies a resource class, together with any exclusions from that class – expansion as in <RepertoireDetail>	0-n

5.1 RepertoireDetail

1	<RepertoireDetail>			A composite that specifies rights and resources that together form part of a repertoire	1-n	
2	<DelegatedRightByLicense>			A composite that specifies license inclusions and/or exclusions, and – if applicable – prices, that apply to part of a repertoire	0-n	
3		<IncludeUnderLicense>		A composite that specifies a license or package of licenses under which specified resources are included: either <includeUnderLicense> or <ExcludeFromLicense> must be present in any instance of <DelegatedRightByLicense>	0-n	
4			<LicenseType>	An ONIX controlled value that uniquely identifies either a single license (eg CCC APS) or a package of licenses (eg all PLS/CLA “core” licences)	1	
5			<UsageWithinLicense>	A composite that specifies a usage type within a license type that is specifically permitted or prohibited: this is a placeholder, to be fully defined when the requirement is clear	0-n	
6			<SubjectToPayment>	Either (a) an ONIX controlled value specifying a price class, or (b) a label assigned in a Price Definition to identify a price set by a rights controller. Specifies payment(s) applying to usage under the license type(s) listed in preceding <IncludeUnderLicense> elements.	0-n	
7			<ExcludeFromLicense>	A composite that specifies a license or license class from which specified resources must be excluded	0-1	
8			<LicenseType>	An ONIX controlled value that uniquely identifies either a single license (eg CCC APS) or a package of licenses (eg all PLS/CLA “core” licences)	1-n	
9			<WithinTerritory>	A composite that specifies a territory for which rights are delegated	0-n	
10				<PlaceIDType>	An ONIX controlled value specifying a scheme from which a place identifier is taken, eg ISO country codes	1
11				<IDValue>	An identifier value from a specified scheme, repeatable (eg) for multiple countries	1-n
12			<FromTimePoint>		A composite that specifies a time from which a delegation of rights is effective	0-1
13				<TimePointIDType>	An ONIX controlled value specifying a form of a time point identifier, eg YYYY	1
14				<IDValue>	A time point identifier in the form specified in the <TimePointIDType> element	1
15			<ToTimePoint>		A composite that specifies a time to which a delegation of rights is effective	0-1
16				<TimePointIDType>	An ONIX controlled value specifying a form of a time point identifier, eg YYYY	1
17				<IDValue>	A time point identifier in the form specified in the <TimePointIDType> element	1

18	<DelegatedRightBy Usage>			A composite that specifies a usage for which all or part of a repertoire may be licensed by the delegate	0-n
19		<LicensableUsage>		Either (a) an ONIX controlled value specifying a usage as a defined term, or (b) a label assigned in a Usage Definition to identify a usage	1
20		<WithinTerritory>		A composite that specifies a territory for which rights are delegated	0-n
21			<PlaceIDType>	An ONIX controlled value specifying a scheme from which a place identifier is taken, eg ISO country codes	1
22			<IDValue>	An identifier value from a specified scheme, repeatable (eg) for multiple countries	1-n
23		<FromTimePoint>		A composite that specifies a time from which a delegation of rights is effective	0-1
24			<TimePointIDType>	An ONIX controlled value specifying a form of a time point identifier, eg YYYY	1
25			<IDValue>	A time point identifier in a specified form	1
26		<ToTimePoint>		A composite that specifies a time to which a delegation of rights is effective	0-1
27			<TimePointIDType>	An ONIX controlled value specifying a form of a time point identifier, eg YYYY	1
28			<IDValue>	A time point identifier in a specified form	1
29		<UsageQuantity>		A composite that specifies a quantity attribute of a usage, eg an extent or volume limit permitted for the usage	0-n
30			<UsageQuantityType>	An ONIX controlled value specifying a type of a usage quantity	1
31			<UsageQuantityDetail>	A composite that carries details of a quantity	1-n
32			<Proximity>	An ONIX controlled value specifying a relationship between a quantity and a <Value> stated in the composite, eg “is less than”, “is not more than”; the default is “is exactly”	0-1
33			<Value>	A decimal numeric value	1
34			<MeasureUnit>	An ONIX controlled value specifying a unit of measure	1
35			<ReferenceUnit>	An ONIX controlled value specifying a unit to which a quantity refers, if this is not implied by the <UsageQuantityType>	0-1
36		<SubjectToPayment>		Either (a) an ONIX controlled value specifying a price class, or (b) a label assigned in a Price Definition to identify a price set by a rights controller. Specifies payment(s) applying to a usage.	1-n
37	<WholeRepertoireExcept AsSpecified/>			An XML “empty element” that indicates that the preceding delegated rights detail applies to the whole of the repertoire except for any resources or resource classes that are specified in separate <RepertoireDetail> elements. In other words, it establishes “default” delegated rights detail for a repertoire. If this element is present, there must be no <DetailByResource> or <DetailByResourceClass> elements in the same instance of <RepertoireDetail>.	0-1

5.2 DetailByResource

38	<DetailByResource>		A composite that specifies a resource. Used where Repertoire Detail is expressed wholly or partly in terms of individual titles. Repeat for each title listed in the <RepertoireDetail> composite.	0-n
39		<ResourceCategory>	A composite that specifies a category to which a resource belongs	0-n
40		<ResourceCategoryType>	An ONIX controlled value specifying a scheme from which a resource category is taken	1
41		<CategoryTypeName>	A name of a proprietary scheme, if applicable	0-1
42		<CategoryValue>	An category value from a specified scheme	1
43		<ResourceIdentifier>	A composite that carries a unique identifier of a resource; repeatable only if a resource has two or more identifiers taken from different schemes	0-n
44		<ResourceIDType>	An ONIX controlled value specifying a scheme from which a resource identifier is taken	1
45		<IDTypeName>	A name of a proprietary scheme, if applicable	0-1
46		<IDValue>	An identifier value from a specified scheme	1
47		<ResourceTitle>	A composite that carries a title of a resource	0-n
48		<TitleType>	An ONIX controlled value specifying a type of a title	0-1
49		<TitleText>	The text of a title	1
50		<Subtitle>	A subtitle associated with a title	0-1
51		<Contributor>	A composite that identifies and/or names a single author or other contributor in a structured form	0-n
52		<ContributorRole>	An ONIX controlled value specifying a role that is played by a contributor to a resource, eg <i>author</i>	0-n
53		<ContributorIdentifier>	A composite that carries an identifier of a contributor; repeatable only if a contributor has two or more identifiers taken from different schemes: each instance of the <Contributor> composite must carry either a <Contributor Identifier> or a name or both.	0-n
54		<ContributorIDType>	An ONIX controlled value specifying a scheme from which a contributor identifier is taken	1
55		<IDTypeName>	A name of a proprietary scheme, if applicable	0-1
56		<IDValue>	An identifier value from a specified scheme	1

57		<PersonName>	A composite that specifies a name of a person	0-n
58		<PersonNameForm>	An ONIX controlled value identifying a form of a person name: the default is "unspecified", but the inclusion of this element will make it possible in future to control the format of person names, if so required	0-1
59		<Name>	A name of a person, in the form specified, if <PersonNameForm> is included	1
60		<OrganizationName>	A composite that specifies a name of an organization	0-n
61		<OrganizationNameForm>	An ONIX controlled value identifying a form of an organization name: the default is "unspecified", but the inclusion of this element will make it possible in future to control the format of organization names, if so required	0-1
62		<Name>	A name of a person, in the form specified, if <OrganizationNameForm> is included	1
63	<Publisher>		A composite that identifies and/or names a single publisher in a structured form	0-n
64		<PublishingRole>	An ONIX controlled value specifying a role that is played in the publishing of a resource	0-n
65		<PublisherIdentifier>	A composite that carries an identifier of a publisher; repeatable only if a publisher has two or more identifiers taken from different schemes: either a <PublisherIdentifier> or a <Name> (or both) must be present in any instance of the <Publisher> composite	0-n
66		<PublisherIDType>	An ONIX controlled value specifying a scheme from which a publisher identifier is taken	1
67		<IDTypeName>	A name of a proprietary scheme, if applicable	0-1
68		<IDValue>	An identifier value from a specified scheme	1
69		<Name>	A name of a publisher	0-1
70	<Imprint>		A composite that identifies and/or names an imprint or brand in a structured form	0-1
71		<ImprintIdentifier>	A composite that carries an identifier of an imprint or brand; repeatable only if an imprint has two or more identifiers taken from different schemes: either an <ImprintIdentifier> or a <Name> (or both) must be present in any instance of the <Imprint> composite	0-n
72		<ImprintIDType>	An ONIX controlled value specifying a scheme from which an imprint identifier is taken	1
73		<IDTypeName>	A name of a proprietary scheme, if applicable	0-1
74		<IDValue>	An identifier value from a specified scheme	1
75		<Name>	A name of an imprint or brand	0-1

76		<ResourceRelatedResource>		A composite that specifies a resource that is related to a resource: used here typically in order to specify a “parent” resource of which the listed resource is a part – eg in the case of an article from a journal	0-n
77			<ResourceResourceRelator>	An ONIX controlled value specifying a relationship of a resource to a resource	1
78			<ResourceIdentifier>	A composite that carries an identifier of a resource; repeatable only if a resource has two or more identifiers taken from different schemes	1-n
79			<ResourceIDType>	An ONIX controlled value specifying a scheme from which a resource identifier, is taken	1
80			<IDTypeName>	A name of a proprietary scheme, if applicable	0-1
81			<IDValue>	An identifier value from a specified scheme	1
82			<ResourceRelatedTimePoint>		A composite that specifies a time point that is related to a resource: used here in order to specify a date at which a run of a serial resource begins or ends: only the two elements shown below are used in this context
83	<ResourceTimePointRelator>	An ONIX controlled value specifying a relationship of a time point to a resource		1	
84	<TimePointIdentifier>	A composite that carries an identifier of a time point		1	
85	<TimePointIDType>	An ONIX controlled value specifying a form of a time point identifier, eg YYYY		1	
86	<IDValue>	A time point identifier in a specified form		1	

5.3 DetailByResourceClass

87	<DetailByResourceClass>		A composite that specifies a resource class that is part of a repertoire, together with any exclusions from that class	0-n
88		<ResourceCategory>	A composite that specifies a category to which a resource belongs, when a category is part of the definition of a resource class	0-n
89		<ResourceCategoryType>	An ONIX controlled value specifying a scheme from which a resource category is taken	1
90		<CategoryTypeName>	A name of a proprietary scheme, if applicable	0-1
91		<CategoryValue>	An category value from a specified scheme	1
92		<ResourceRelatedAgent>	A composite that specifies an agent or agent class that is related to a resource class, when a relationship to an agent or agent class is part of the definition of a resource class	0-n
93		<ResourceAgentRelator>	An ONIX controlled value specifying a relationship between a resource class and a related agent or agent class	1
94		<AgentIdentifier>	A composite that carries an identifier of an agent or agent class; repeatable only if an agent has two or more identifiers taken from different schemes	0-n
95		<AgentIDType>	An ONIX controlled value identifying a scheme from which an agent identifier is taken	1
96		<IDTypeName>	A name of a proprietary scheme, if applicable	0-1
97		<IDValue>	An identifier value, from a specified scheme	1
98		<Name>	A name of an agent or agent class	0-1
99		<ResourceRelatedTimePoint>	A composite that specifies a time point that is related to a resource class, and its relationship to the resource class	0-n
100		<ResourceTimePointRelator>	An ONIX controlled value specifying a relationship between a resource and a related time point	1
101		<TimePointIdentifier>	A composite that carries an identifier of a time point	1
102		<TimePointIDType>	An ONIX controlled value specifying a form of a time point identifier, eg YYYY	1
103		<IDValue>	A time point identifier in a specified form	1
104		<ResourceRelatedPlace>	A composite that specifies a place that is related to a resource class, and its relationship to the resource class; repeatable only if a place has two or more identifiers taken from different schemes	0-n
105		<ResourcePlaceRelator>	An ONIX controlled value specifying a relationship between a resource and a related place	1

106		<PlaceIdentifier>	A composite that carries an identifier of a place; repeatable only if a place has two or more identifiers taken from different schemes	0-n
107		<PlaceIDType>	An ONIX controlled value identifying a scheme from which a place identifier is taken	1
108		<IDValue>	An identifier value, from a specified scheme	1
109		<Name>	A name of a place	0-1
110	<ResourceRelatedName>		A composite that specifies a name, typically of an imprint or subsidiary, that is related to a resource class, and its relationship to the resource class. An imprint or subsidiary name is listed here only if it defines a section of a repertoire, eg with different terms from the rest.	0-n
111		<ResourceNameRelator>	An ONIX controlled value specifying a relationship between a resource and a related name	1
112		<NameIdentifier>	A composite that carries an identifier of a name; repeatable only if a name has two or more identifiers taken from different schemes: either a <NameIdentifier> or a <Name> (or both) must be present in any instance of the <Resource RelatedName> composite	0-n
113		<NameIDType>	An ONIX controlled value identifying a scheme from which a name identifier is taken	1
114		<IDTypeName>	A name of a proprietary scheme, if applicable	0-1
115		<IDValue>	An identifier value, from a specified scheme	1
116		<Name>		0-1
117	<ExcludingResources>		A composite that specifies resources or resource classes to be excluded from the class specified in an instance of <DetailByResourceClass>	0-1
118		<DetailByResource>	A composite that specifies a resource: expansion as on previous pages	0-n
119		<DetailByResourceClass>	A composite that specifies a resource class: expansion as on previous pages	0-n

5.4 PriceDefinition

1	<PriceDefinition>		A composite that defines a price that is referred to in a Repertoire Notification	1-n
2		<PriceLabel>	A label assigned here to the price for unambiguous internal reference within the ONIX <RepertoireNotification> document only	1
3		<PriceAnnotation>	A composite that carries an annotation relating to a price	0-n
4		<PriceAnnotationType>	An ONIX controlled value specifying a type of a price annotation	0-1
5		<AnnotationText>	The text of an annotation	1
6		<PriceAmount>	The amount of a price as a decimal number	1
7		<CurrencyCode>	An ISO currency code if the price amount is not in a default currency specified in the message header	0-1
8		<ChargeUnit>	An ONIX controlled value specifying a unit of content or activity for which a charge is made, eg page, article	1
9		<PriceQuantity>	A composite that specifies a quantity attribute of a price, eg an extent limit permitted for the stated price	0-n
10		<PriceQuantityType>	An ONIX controlled value specifying a type of a price quantity	1
11		<PriceQuantityDetail>	A composite that carries details of a quantity	1-n
12		<Proximity>	An ONIX controlled value specifying a relationship between a quantity and the <Value> stated in the composite, eg “is less than”, “is not more than”; the default is “is exactly”	0-1
13		<Value>	A decimal numeric value	1
14		<MeasureUnit>	An ONIX controlled value specifying a unit of measure	1
15		<ReferenceUnit>	An ONIX controlled value specifying a unit to which a quantity refers, if this is not implied by the <PriceQuantityType>	0-1
16		<VolumeDiscount>	An ONIX controlled value specifying an applicable volume discount or discount class that is “standard” in a particular context: <VolumeDiscount> and <VolumeDiscountDetail> are mutually exclusive in any instance of <PriceDefinition>	0-1
17		<VolumeDiscountDetail>	A composite that specifies a volume discount set by an individual rights controller	0-n
18		<VolumeUnit>	An ONIX controlled value specifying a unit of volume, eg copies	1
19		<MinimumVolume>	The minimum volume required to qualify for a specified volume discount	1
20		<MaximumVolume>	The maximum volume qualifying for a specified volume discount	0-1
21		<PercentageDiscount>	A discount expressed as a percentage of the <PriceAmount>: either <PercentageDiscount> or <DiscountedPriceAmount> must be present in any instance of <VolumeDiscountDetail>	0-1
22		<DiscountedPriceAmount>	A discounted price expressed as an absolute amount per unit	0-1

6. ONIX-RP Resource List

1	<ResourceList>			A composite that lists resources that belong to a repertoire	0-n
2	<ReasonForNotification>			An ONIX controlled value specifying a reason for sending a Resource List	1
3	<NotificationID>			A sender-assigned identifier that is unique within the sequence of Resource Lists sent by the Sender to the Addressee	1
4	<RepertoireIdentifier>			A composite that uniquely identifies a repertoire with which a Resource List is associated; mandatory, and repeatable only if the repertoire has two or more identifiers taken from different schemes.	1-n
5		<RepertoireIDType>		An ONIX controlled value identifying the scheme from which the identifier in the <IDValue> element is taken	1
6		<IDTypeName>		A name of a proprietary scheme, if applicable	0-1
7		<IDValue>		An identifier of the type specified in the <RepertoireIDType> element	1
8	<DetailByResource>			A composite that specifies a resource. Repeat for each title listed in the <ResourceList> composite. Expansion as in <RepertoireDetail>	1-n